

L Number	Hits	Search Text	DB	Time stamp
-	14	modify\$3 near3 header and (709/204,246).ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/06 08:32
-	5	(modify\$3 near3 header and (709/204,246).ccls.) and @ad<20001024	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/05 17:15
-	5	modify\$3 near3 (header or (time adj stamp)) and (709/204,246).ccls. and @ad<20001024	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/05 17:17
-	0	modify\$3 near3 (header or (time adj stamp)) same (active near3 stream near3 (audio or vedio)) and @ad<20001024	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/05 17:20
-	0	modify\$3 near3 ((time adj stamp)) same (active near3 stream near3 (audio or vedio)) and @ad<20001024	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/05 17:20
-	0	modify\$3 near3 ((time adj stamp)) and (active near3 stream near3 (audio or vedio)) and @ad<20001024	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/05 17:21
-	9	(active near3 stream near3 (audio or vedio)) and @ad<20001024	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/05 17:27
-	0	FULL with DUPLEX with MULTIPOINT same IP with AUDIO with STREAMING and @ad<20001024	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/05 17:27
-	0	FULL with DUPLEX with MULTIPOINT and IP with AUDIO with STREAMING and @ad<20001024	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/05 17:27
-	0	FULL with DUPLEX with MULTIPOINT and AUDIO with STREAMING and @ad<20001024	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/05 17:28
-	5	FULL with DUPLEX\$3 and MULTIPOINT and AUDIO with STREAMING and @ad<20001024	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/11 09:21
-	507	(modif\$5 or chang\$3) near5 (time adj stamp) and @ad<20001024	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/05 17:45
-	60	(709/(204,205,227,231,246,248)).ccls. and (RTP) and @ad<20001024	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/06 09:49
-	5	((709/(204,205,227,231,246,248)).ccls. and (RTP) and @ad<20001024) and (modif\$3 or add\$3 or chang\$3 or replac\$3 or alter\$3) with ((sequence adj (number or identifier)) or (SSRC or (source adj identifier)) or timestamp)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/06 08:43

-	1	(modif\$4 or add\$3 or chang\$3 or alter\$3 or manipulat\$3 or adjust\$3) near4 ((source adj2 identifier) or SSRC) and (RTP) and @ad<20001024	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/11/06 16:43
-	0	(server with unmix\$3 same (RTP)) and @ad<20001024	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/11/06 10:05
-	0	(server with unmix\$3 and (RTP)) and @ad<20001024	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/11/06 10:05
-	0	(server with unmix\$3) and @ad<20001024	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/11/06 10:05
-	1	(RTP same unmix\$3) and @ad<20001024	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/11/06 10:06
-	6	(RTP and unmix\$3) and @ad<20001024	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/11/06 10:19
-	0	(H.323 or RTP) with (all adj3 type adj3 (environment or network)) and @ad<20001024	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/11/06 10:20
-	0	(H.323 or RTP) with ((all or diffirent) adj3 type adj3 (environment or network or device\$1!)) and @ad<20001024	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/11/06 10:39
-	26	lotus adj sametime	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/11/06 10:45
-	0	(lotus adj sametime) and @ad<20001024	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/11/06 10:40
-	211	sametime	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/11/06 10:46
-	0	((709/(204,205,227,231,246,248)).ccls. and (RTP) and @ad<20001024) and sametime	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/11/06 10:45
-	7	sametime and 709/204	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/11/06 10:51
-	0	PULITO-BRIAN.in.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/11/06 10:51

-	92	JOHNSON-MARK.in.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/11/06 13:14
-	0	CLINE-BRIAN.in.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/11/06 12:42
-	0	KRESSIN-MARK.in.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/11/06 12:43
-	0	LOCHBAUM-ANDREW.in.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/11/06 12:43
-	0	DURHAM-JEFF.in.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/11/06 12:43
-	19	active\$2 adj3 speak\$3 adj3 participant\$1!	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/11/06 13:18
-	8	(active\$2 adj3 speak\$3 adj3 participant\$1!) and @ad<20001026	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/11/06 13:32
-	0	(modif\$5 adj3 (RTP near3 header adj (data or information))) and @ad<20001026	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/11/06 13:33
-	3242459	(modif\$5 or chang\$3 or alter\$30 near3 (header adj (data or information)) with RTP) and @ad<20001026	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/11/06 13:36
-	0	(modif\$5 or chang\$3 or alter\$3) near3 ((header adj (data or information)) with RTP) and @ad<20001026	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/11/06 13:48
-	0	"do not" with support\$3 near3 multipoint adj conference	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/11/06 13:49
-	16	support\$3 near3 multipoint adj conference	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/11/06 13:49
-	14	(support\$3 near3 multipoint adj conference) and @ad<20001026	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/11/06 14:35
-	0	non-multipoint adj H.323 and @ad<20001026	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/11/06 14:35

-	0	non-multipoint with H.323 and @ad<20001026	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/06 14:35
-	139	(modif\$4 or add\$3 or chang\$3 or alter\$3 or manipulat\$3 or adjust\$3 or replac\$3) near4 ((source adj2 identifier) or SSRC or timestamp or (sequence adj number) or header) and (RTP) and @ad<20001024	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/06 18:19
-	2471	(modif\$4 or chang\$3 or alter\$3 or manipulat\$3 or replac\$3) adj3 ((source adj2 identifier) or SSRC or timestamp or (sequence adj number) or header) and @ad<20001024	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/07 14:12
-	16	((modif\$4 or chang\$3 or alter\$3 or manipulat\$3 or replac\$3) adj3 ((source adj2 identifier) or SSRC or timestamp or (sequence adj number) or header) and @ad<20001024) and 709/204	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/08 12:39
-	257	conference adj server	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/07 08:05
-	33	709/204 and (conference adj server)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/07 08:05
-	24	(709/204 and (conference adj server)) and @ad<20001024	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/07 11:17
-	82	(modify\$3 adj4 ((timestamp or (time adj stamp)) or (source adj2 identifier) or (sequence adj number))) and @ad<20001024	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/07 14:02
-	0	((modify\$3 adj4 ((timestamp or (time adj stamp)) or (source adj2 identifier) or (sequence adj number))) and @ad<20001024) and RTP	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/07 11:22
-	1638	709/204	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/07 11:26
-	0	((modify\$3 adj4 ((timestamp or (time adj stamp)) or (source adj2 identifier) or (sequence adj number))) and @ad<20001024) and 709/204	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/07 11:26
-	1	((modify\$3 adj4 ((timestamp or (time adj stamp)) or (source adj2 identifier) or (sequence adj number))) and @ad<20001024) and (point-to-point)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/07 11:31
-	0	((modify\$3 adj4 ((timestamp or (time adj stamp)) or (source adj2 identifier) or (sequence adj number))) and @ad<20001024) and (point adj point)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/07 11:31
-	3	((modify\$3 adj4 ((timestamp or (time adj stamp)) or (source adj2 identifier) or (sequence adj number))) and @ad<20001024) and (point adj2 point)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/07 11:55

-	0	modif\$3 adj3 (SSRC)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/11/07 11:56
-	0	modif\$3 near3 (SSRC)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/11/07 11:56
-	5	(modif\$3 or chang\$3 or alter\$3) near3 (SSRC)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/11/07 11:56
-	1	@ad<20001024 and ((modify\$3 or chang\$3 or replac\$3 or encapsulat\$3) adj ((time adj stamp) or (source adj identifier) or (sequence adj number))) same (audio adj packet)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/11/07 12:04
-	1	@ad<20001024 and ((modify\$3 or chang\$3 or replac\$3 or encapsulat\$3) near ((time adj stamp) or (source adj identifier) or (sequence adj number))) same (audio adj packet)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/11/07 12:05
-	7	@ad<20001024 and ((modify\$3 or chang\$3 or replac\$3 or encapsulat\$3) same ((time adj stamp) or (source adj identifier) or (sequence adj number))) same (audio adj packet)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/11/07 12:07
-	0	@ad<20001024 and ((modify\$3 or chang\$3 or replac\$3 or encapsulat\$3) and ((time adj stamp) and (source adj identifier) and (sequence adj number))) and (audio adj packet)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/11/07 12:10
-	0	@ad<20001024 and ((modify\$3 or chang\$3 or replac\$3 or encapsulat\$3) same ((time adj stamp) and (source adj identifier) and (sequence adj number))) and (audio adj packet)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/11/07 12:11
-	76	@ad<20001024 and ((modify\$3 or chang\$3 or replac\$3 or encapsulat\$3) same ((time adj stamp) or (source adj identifier) or (sequence adj number))) and (audio adj packet)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/11/07 12:11
-	0	(modify\$3 adj4 ((timestamp or (time adj stamp)) or (source adj2 identifier) or (sequence adj number))) and (((timestamp or (time adj stamp)) same ((source adj2 identifier) or SSRC) same (sequence adj number))) and @ad<20001024	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/11/07 12:35
-	0	(modify\$3 adj4 ((timestamp or (time adj stamp)) or (source adj2 identifier) or (sequence adj number))) and (((timestamp or (time adj stamp)) and ((source adj2 identifier) or SSRC) and (sequence adj number))) and @ad<20001024	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/11/07 12:35
-	1	((modify\$3 or alter\$3 or chang\$3 or updat\$3 or replac\$3) near4 ((timestamp or (time adj stamp)) or (source adj2 identifier) or (sequence adj number))) and (((timestamp or (time adj stamp)) same ((source adj2 identifier) or SSRC) same (sequence adj number))) and @ad<20001024	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/11/07 12:40
-	6	((modify\$3 or alter\$3 or chang\$3 or updat\$3 or replac\$3) near4 ((timestamp or (time adj stamp)) or (source adj2 identifier) or (sequence adj number))) and (RTP adj header) and @ad<20001024	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/11/07 12:58

-	6	((modify\$3 or alter\$3 or chang\$3 or updat\$3 or replac\$3) near4 (((synchronization adj source) or timestamp or (time adj stamp)) or (source adj2 identifier) or (sequence adj number))) and (RTP adj header) and @ad<20001024	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/07 13:01
-	2233	((modify\$3 or alter\$3 or chang\$3 or updat\$3 or replac\$3) near4 (((synchronization adj source) or timestamp or (time adj stamp)) or (source adj2 identifier) or (sequence adj number))) and @ad<20001024	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/07 15:01
-	726	((modify\$3 or alter\$3 or chang\$3 or updat\$3 or replac\$3) near4 (((synchronization adj source) or timestamp or (time adj stamp)) or (source adj2 identifier) or (sequence adj number))) and @ad<20001024) and real adj time	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/07 13:03
-	19	709/204 and (((modify\$3 or alter\$3 or chang\$3 or updat\$3 or replac\$3) near4 (((synchronization adj source) or timestamp or (time adj stamp)) or (source adj2 identifier) or (sequence adj number))) and @ad<20001024) and real adj time)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/07 13:04
-	5	709/204 and (((modify\$3 or alter\$3 or chang\$3 or updat\$3 or replac\$3) near4 (((synchronization adj source) or timestamp or (time adj stamp)) or (source adj2 identifier) or (sequence adj number))) and @ad<20001024) and real adj time) and point-to-point	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/07 13:04
-	0	(modify\$3 adj4 ((timestamp or (time adj stamp)) or (source adj2 identifier) or (sequence adj number))) and @ad<20001024 and H.323	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/07 14:01
-	7	(modif\$4 or chang\$3 or alter\$3 or manipulats\$3 or replac\$3) adj3 ((source adj2 identifier) or SSRC or timestamp or (sequence adj number) or header) same (realtime or real-time or RTP or H.323) and point-to-point and @ad<20001024	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/07 14:25
-	2	(modif\$4 or chang\$3 or alter\$3 or manipulats\$3 or replac\$3) adj3 (SSRC) and @ad<20001024	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/07 14:42
-	2	(modif\$4 or chang\$3 or alter\$3 or manipulats\$3 or replac\$3) adj3 (SSRC or (synchronization adj source) near3 (server or gateway) near3 address) and @ad<20001024	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/07 14:50
-	0	(source adj (address or identifier)) near3 replac\$3 near4 (server or gateway or router) adj address and @ad<20001024	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/07 14:52
-	11	(source adj (address or identifier)) near3 replac\$3 near4 (server\$1! or gateway or router) near3 address and @ad<20001024	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/07 14:52
-	1	((modify\$3 or alter\$3 or chang\$3 or updat\$3 or replac\$3) near4 (((synchronization adj source) or timestamp or (time adj stamp)) or (source adj2 identifier) or (sequence adj number))) adj4 header with (audio or video) and @ad<20001024	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/07 15:10

-	76	((modify\$3 or alter\$3 or chang\$3 or updat\$3 or replac\$3) near4 (((synchronization adj source) or timestamp or (time adj stamp)) or (source adj2 identifier) or (sequence adj number))) with (audio or video) and @ad<20001024	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/07 17:15
-	1	((modify\$3 or alter\$3 or chang\$3 or updat\$3 or replac\$3) near4 (((synchronization adj source) or timestamp or (time adj stamp)) or (source adj2 identifier) or (sequence adj number))) with (audio or video) and @ad<20001024) and point-to-point	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/07 15:14
-	1	((modify\$3 or alter\$3 or chang\$3 or updat\$3 or replac\$3) near4 (((synchronization adj source) or timestamp or (time adj stamp)) or (source adj2 identifier) or (sequence adj number))) with (audio or video) and @ad<20001024 and point-to-point	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/07 17:16
-	4	((modify\$3 or alter\$3 or chang\$3 or updat\$3 or replac\$3) near4 (((synchronization adj source) or timestamp or (time adj stamp)) or (source adj2 identifier) or (sequence adj number))) same (audio or video) and @ad<20001024 and point-to-point	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/07 17:16
-	0	(modif\$3 or add\$3 or chang\$3 or replac\$3 or alter\$3) with ((sequence adj (number or identifier)) or (SSRC or ((source or synchronization) adj2 identifier)) or timestamp) with (active adj stream)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/08 11:45
-	0	(modif\$3 or add\$3 or chang\$3 or replac\$3 or alter\$3) with ((sequence adj (number or identifier)) or (SSRC or ((source or synchronization) adj2 identifier)) or timestamp) same (active adj stream)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/08 11:46
-	4	(modif\$3 or add\$3 or chang\$3 or replac\$3 or alter\$3) with ((sequence adj (number or identifier)) or (SSRC or ((source or synchronization) adj2 identifier)) or timestamp) with (stream near2 (audio or voice or video))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/08 11:52
-	23	(modif\$3 or add\$3 or chang\$3 or replac\$3 or alter\$3) with ((sequence adj (number or identifier)) or (SSRC or ((source or synchronization) adj2 identifier)) or timestamp) same (stream near2 (audio or voice or video))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/08 11:52
-	12	((modif\$3 or add\$3 or chang\$3 or replac\$3 or alter\$3) with ((sequence adj (number or identifier)) or (SSRC or ((source or synchronization) adj2 identifier)) or timestamp) same (stream near2 (audio or voice or video))) and @ad<20001026	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/08 11:52
-	0	((modif\$4 or chang\$3 or alter\$3 or manipul\$3 or replac\$3) adj3 ((source adj2 identifier) or SSRC or timestamp or (sequence adj number) or header) and @ad<20001024) same ((audio or video) adj data)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/08 12:40
-	282	((modif\$4 or chang\$3 or alter\$3 or manipul\$3 or replac\$3) adj3 ((source adj2 identifier) or SSRC or timestamp or (sequence adj number) or header) and @ad<20001024) and ((audio or video) adj data)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/08 12:43
-	34	((modif\$4 or chang\$3 or alter\$3 or manipul\$3 or replac\$3) adj3 ((source adj2 identifier) or SSRC or timestamp or (sequence adj number)) and @ad<20001024) and ((audio or video) adj data)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/08 12:43

-	35	((modif\$4 or chang\$3 or alter\$3 or manipulat\$3 or replac\$3) adj3 ((synchronization or source) adj2 identifier) or SSRC or timestamp or (sequence adj number)) and @ad<20001024) and ((audio or video) adj data)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/08 13:28
-	2	("6240070").PN.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/10 16:09
-	3	identif\$4 near4 (client\$1! or participant\$1!) near3 (transmit\$4 or transfer\$4) near3 video	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/08 14:17
-	8	identif\$4 near4 (client\$1! or participant\$1!) near3 (transmit\$4 or transfer\$4) with video	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/08 14:32
-	10	identif\$4 near4 active\$3 near2 (speaker or participant or member or client) same (video or audio/video)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/08 14:52
-	41	identif\$4 near6 (speaker or participant or member or client) near5 (transmit\$4 or transfer\$4) same (video or audio/video)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/08 14:53
-	22	(identif\$4 near6 (speaker or participant or member or client) near5 (transmit\$4 or transfer\$4) same (video or audio/video)) and @ad<20001026	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/08 14:53
-	1	"6070089".PN.	USPAT	2003/11/10 16:08
-	2679	identif\$3 near4 (speaker\$1! or participant\$1!)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/10 16:10
-	29197	709/204 amd (identif\$3 near4 (speaker\$1! or participant\$1!)) and @ad<20001026	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/10 16:11
-	54	709/204 and (identif\$3 near4 (speaker\$1! or participant\$1!)) and @ad<20001026	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/10 16:28
-	0	(audio adj stream\$1!) with unmix\$3 and @ad<20001026	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/10 16:28
-	0	(audio adj stream\$1!) same unmix\$3 and @ad<20001026	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/10 16:29
-	1	(audio near3 stream\$1!) same unmix\$3 and @ad<20001026	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/10 17:39
-	13	(primary adj speaker) same (secondary adj speaker) and @ad<20001024	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/11 09:29

-	0	"push to talk" same broadcast\$3 near3 video and @ad<20001024	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/11 09:33
-	12	(two adj people or persons or participants or speakers) adj3 active\$2 adj2 (speaking or talking)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/11 09:35
-	7	((two adj people or persons or participants or speakers) adj3 active\$2 adj2 (speaking or talking)) and @ad<20001026	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/11 10:23
-	2	("6457043").PN.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/11 10:23